ELSEVIER

Volume 265 Numbers 1–2, 30 January 1998

Journal of ALLOYS AND COMPOUNDS

Contents

Letter

New ternary representatives of the Fe_2P structure type L1
P. Salamakha, O. Sologub (L'viv, Ukraine), J.K. Yakinthos, Ch.D. Routsi (Xanthi, Greece)

Physics

Magnetic properties and magnetic structure of $HoFe_{11}Ti$ and its hydrides 1
A. Apostolov, R. Bezdushnyi, N. Stanev, R. Damianova (Sofia, Bulgaria), D. Fruchart, J.L. Soubeyroux, O. Isnard (Grenoble, France)

$(Hf,Zr)_2Fe$ and $Zr_4Fe_2O_{0.6}$ compounds and their hydrides: phase equilibria, crystal structure and magnetic properties 6
I.Yu. Zavaliy, A.B. Riabov, V.A. Yartys (Lviv, Ukraine), G. Wiesinger, H. Michor, G. Hilscher (Vienna, Austria)

Slater–Pauling dependence of $Dy[(Fe_{0.4}Co_{0.6})_{1-x}Al_x]_2$ intermetallics 15
J. Pszczoła, B. Winiarska (Kraków, Poland), Z. Kucharski, J. Suwalski (Świerk-Otwock, Poland)

Magnetic properties of the compounds $Er_{1-x}Nd_xFe_{11.35}Nb_{0.65}$ $(0 \le x \le 0.5)$ 23
K.-Y. Wang, D.-X. Chen, J. Arcas, M. Multigner, J. Velazquez, P. Crespo, M. Vazquez, A. Hernando (Madrid, Spain)

Structure and magnetic properties of $GdMn_{1-x}Co_xSi$ compounds 26
W.D. Qin, F.M. Yang, J.L. Wang, N. Tang, J.F. Hu, X.P. Zhong (Beijing, P.R. China), F.R. de Boer (Amsterdam, The Netherlands)

Electron paramagnetic resonance and optical absorption studies of Cu^{2+} ions in alkali barium borate glasses 29
R.P.S. Chakradhar, A. Murali, J.L. Rao (Tirupati, India)

Magnetic properties of the $UCo_{1-x}Pt_xAl$ solid solutions 38
A.V. Andreev (Sendai, Japan), I.K. Kozlovskaya, V. Sechovský (Prague, The Czech Republic)

Physical properties and giant magnetoresistance in RNiSb compounds 42
I. Karla (Grenoble, France and Osnabrück, Germany), J. Pierre (Grenoble, France), R.V. Skolozdra (Lviv, Ukraine)

Thermomagnetic behaviors of Fe–Cr–N films with perpendicular magnetic anisotropy 49
D.-L. Peng, K. Sumiyama, K. Suzuki (Sendai, Japan)

A neutron diffraction study of magnetic ordering in $DyMn_{6-x}Cr_xGe_6$ compounds (I) 56
P. Schobinger-Papamantellos (Zürich, Switzerland), J. Rodríguez-Carvajal, G. André (Gif sur-Yvette, France), K.H.J. Buschow (Amsterdam, The Netherlands)

A neutron diffraction study of magnetic ordering in $DyMn_{6-x}Cr_xGe_6$ compounds (II) 61
P. Schobinger-Papamantellos (Zürich, Switzerland), J. Rodríguez-Carvajal, G. André (Gif-sur-Yvette, France), K.H.J. Buschow (Amsterdam, The Netherlands)

Mössbauer spectral and magnetic investigations of $RFe_{10}Cr_2$ compounds (R=rare earth) 70
J.J. Bara, B.F. Bogacz, A.T. Pędziwiatr (Cracow, Poland), P. Stefański, A. Szlaferek, A. Wrzeciono (Poznań, Poland)

On the localization of the transition metal atoms in $HoFe_{0.5}Si_2$ and in the related RFe_xSi_2 (R=heavy RE element) compounds 77
N.M. Norlidah, G. Venturini, B. Malaman (Vandoeuvre les Nancy, France), E. Ressouche (Grenoble, France)

Chemistry

Synthesis and fluorescent properties of europium–polymer complexes containing naphthoate ligand 81
C. Du, Y. Xu, L. Ma (Shanghai, China), W. Li (Changchun, China)

Magnetic studies of nanosized nickel ferrite particles synthesized by the citrate precursor technique 87
S. Prasad, N.S. Gajbhiye (Kanpur, India)

Phase diagram of the system K-Te 93
M.N. Khabachev (Ekaterinburg, Russia), K.A. Chuntonov (Petah Tikva, Israel)

Elsevier Science S.A.

Synthesis and structural investigation of a new ternary transition metal nitride, Co_3W_3N 96
K.S. Weil, P.N. Kumta (Pittsburgh, PA, USA)

Hydrogen stabilization. Nine isotypic orthorhombic A_5Pn_3H phases (among A=Ca, Sr, Ba, Sm, Eu, Yb; Pn=Sb, Bi) formerly described as binary β-Yb_5Sb_3-type compounds 104
E.A. Leon-Escamilla, J.D. Corbett (Ames, IA, USA)

Synthesis, crystal structure refinement and electrical properties of uranium oxysulfide, UOS 115
N. Sato, H. Masuda, M. Wakeshima, K. Yamada, T. Fujino (Sendai, Japan)

Synthesis and some properties of the phase $Cr_2V_4O_{13}$ 121
E. Filipek, J. Walczak, P. Tabero (Szczecin, Poland)

Mutual separation characteristics for the yttrium and lanthanides with chemical vapor transport process mediated by metal chloride gaseous complexes 125
T. Ozaki, J. Jiang, K. Murase, K.-i. Machida, G.-y. Adachi (Osaka, Japan)

Low-temperature synthesis of crystallized $Ca_{1-x}Sr_xTiO_3$ solid-solution films on titanium substrates by a modified hydrothermal–electrochemical technique 132
M. Yoshimura (Yokohama, Japan), O. Asai (Kawasaki, Japan), W.-S. Cho, M. Yashima (Yokohama, Japan), Y. Suzuki (Kawasaki, Japan), M. Kakihana (Yokohama, Japan)

Calorimetric measurements on rare earth pyrohafnates $RE_2Hf_2O_7$ (RE=La,Eu,Gd) 137
R. Babu, K. Nagarajan (Tamil Nadu, India)

The synthesis and crystal structure of Rb_4TmI_6: Lattice energy calculations on networks of condensed cubes 140
G. Miller, M. Smith (Ames, IA, USA), M. Wang, S. Wang (Beijing, P.R. China)

Standard enthalpies of formation for europium, gadolinium, and lutetium oxychlorides, calculated from measured enthalpies of solution 146
J.B. Burns (Knoxville, TN, USA), J.R. Peterson (Knoxville and Oak Ridge, TN, USA), R.G. Haire (Oak Ridge, TN, USA)

Thermodynamic properties of the rare earth element vapor complexes. $LaAl_4Cl_{15}$, $CeAl_4Cl_{15}$ and $HoAl_2Cl_9$ 153
Z.-C. Wang, L.-S. Wang (Liaoning, China)

Metallurgy

Thermodynamics of the Ag–Bi–In system (with $0<x_{Ag}<0.5$) 160
V. Vassiliev (Moscow, Russia), M. Alaoui-Elbelghiti, A. Zrineh (Rabat, Morocco), M. Gambino, J.P. Bros (Marseille, France)

X-Ray study of the nGeTe·$m$$Bi_2Te_3$ mixed layered tetradymite-like compounds 170
O.G. Karpinsky, L.E. Shelimova, M.A. Kretova (Moscow, Russia), J.-P. Fleurial (Pasadena, CA, USA)

Comparative study of thermodynamic predicting methods applied to the Pb–Zn–Ag system 176
D. Živković, Ž. Živković (Bor, Yugoslavia), Y.-H. Liu (Beijing, P.R. China)

A study of structural and thermodynamic properties of the $YNi_{5-x}Al_x$–hydrogen system 185
B. Šorgić, Ž. Blažina, A. Drašner (Zagreb, Croatia)

Refining of tantalum by silicon deoxidation 190
A. Awasthi, N. Krishnamurthy, Y.J. Bhatt, R. Venkataramani (Mumbai, India), Y. Ueda (Kyoto, Japan), S.P. Garg (Mumbai, India)

X-Ray single crystal refinements on some CeFeSi-type RTX compounds (R=RE elements; T=Mn, Fe, Co, Ru; X=Si, Ge). Evolution of the chemical bonds 196
R. Welter, I. Ijjaali, G. Venturini, B. Malaman (Vandoeuvre les Nancy, France)

Thermodynamics of the (Rh–Ga) system 201
P. Anres, M. Gaune-Escard, J.P. Bros (Marseille, France)

Investigation of the crystallographic structures of $LaNi_4CoD_{4.4}$ and $LaNi_{3.55}Mn_{0.4}Al_{0.3}Co_{0.75}D_x$ (x=2.0 and 4.6 D/f.u.) by neutron powder diffraction 209
M. Latroche, A. Percheron-Guégan (Meudon, France), F. Bourée-Vigneron (Gif sur Yvette, France)

Materials Science

Review article
Critical review on the elastic properties of transition metal carbides, nitrides and carbonitrides 215
C. Kral, W. Lengauer, D. Rafaja, P. Ettmayer (Vienna, Austria)

Luminescence properties of lanthanide complexes and their silica-based composites 234
T. Jin, S. Inoue, K.-i. Machida, G.-y. Adachi (Osaka, Japan)

Shape restoration effect associated with order–disorder transformation in equiatomic AuCu and AuCu–Ga alloys 240
M. Ohta, T. Shiraishi, R. Ouchida, M. Nakagawa, S. Matsuya (Fukuoka, Japan)

Effect of alloying on the microstructure and mechanical properties of Ni_3Al 249
S.K. Shee (Calcutta, India), S.K. Pradhan (Pin, India), M. De (Calcutta, India)

Influence of oxygen on hydrogen storage and electrode properties for micro-designed V-based battery alloys 257
M. Tsukahara, K. Takahashi, A. Isomura (Aichi, Japan), T. Sakai (Osaka, Japan)

Influence of amorphization on electrode performances of AB_2 type hydrogen storage alloys 264
X. Yang, Y. Lei, C. Wang, G. Zhu, W. Zhang, Q. Wang (Hangzhou, P.R. China)

Multicomponent mechanical alloying of Fe–Cu–Nb–Si–B 269
J.Y. Yang, J.S. Wu (Shanghai, P.R. China), T.J. Zhang, K. Cui (Wuhan, P.R. China)

Giant magnetoresistance of Cu_3Al–Cu_2MnAl melt-spun ribbons 273
S. Sugimoto, S. Kondo, H. Nakamura, D. Book, Y. Wang, T. Kagotani, R. Kainuma, K. Ishida, M. Okada, M. Homma (Sendai, Japan)

Surface and electrode properties of $Zr(V_{0.25}Ni_{0.75})_2$ alloy treated with ultrasound-solution 281
J. Chen, D.H. Bradhurst, S.X. Dou, H.K. Liu (Wollongong, NSW, Australia)

Influence of the nitriding process on the nitrogen distribution in the bulk magnetic compound $Sm_2(Fe,Co)_{17}$ 286
V. De Pauw, D. Lemarchand, C. Iacob (Mont-Saint-Aignan, France)

Synthesis of nanocrystalline zinc ferrite powders from sulphuric pickling waste water 291
F.A. López, A. López-Delgado, J.L.M. de Vidales, E. Vila (Madrid, Spain)

Investigation of scales resulted from a high-temperature sulphidation of Fe–Cr alloys 297
J. Cieślak, S.M. Dubiel, Z. Żurek (Kraków, Poland)

AC impedance studies of the discharge process of a Mg_2Ni-type hydrogen storage alloy electrode in 6M KOH solution 305
N. Cui, J.L. Luo (Edmonton, Alberta, Canada)

Powder diffraction line broadening in hydrogen activated $LaNi_{3.55}Mn_{0.4}Al_{0.3}Co_{0.75}$ and its hydride studied by synchrotron radiation 311
J.-M. Joubert, R. Černý (Genève, Switzerland), M. Latroche, A. Percheron-Guégan (Meudon, France), K. Yvon (Genève, Switzerland)

Corrigendum 315

Errata 317

Author Index of Volume 265 321

Subject Index of Volume 265 323